

Application No.: 10/761,367

RECEIVED
CENTRAL FAX CENTER

SEP 09 2008

AMENDMENTS TO THE CLAIMS

1. (Previously presented) A management information correction device for a recording medium on which data and management information for managing playback or recording operation of the data are recorded, the device comprising:

management information holding means for holding the management information recorded in the recording medium; and

correction control means for, after data is newly recorded to the recording medium, correcting an abnormal portion of the management information corresponding to the newly recorded data with reference to the management information held in the management information holding means.

2. (Currently amended) The device of claim 1, wherein the management information holding means holds updating instruction information for updating management information on the recording medium ~~the correction instruction information from the correction manipulation means includes updating instruction information for updating management information on the recording medium, and~~

the correction control means updates the management information on the recording medium to the corrected management information corresponding to the current recording medium in response to the correction instruction information from the management information holding ~~correction manipulation~~ means.

3. (Original) The device of claim 2, further comprising detection means for detecting the setting state of recording permit/prohibit setting means placed on the recording medium for setting whether recording is permitted or prohibited,

Application No.: 10/761,367

wherein the correction control means does not update the management information on the recording medium to the corrected management information corresponding to the current recording medium when the detection means detects that the recording permit/prohibit setting means is in the recording prohibit state.

4. (Currently amended) The device of claim 2, further comprising: ~~wherein the~~ correction manipulation means for outputting an output ~~correction instruction information for~~ selecting whether or not to execute the correction of an abnormal portion of the management information corresponding to the current recording medium held in the management information holding means with reference to the management information in the initial state and the updating of the management information on the recording medium to the corrected management information.

5. (Currently amended) The device of claim 2, further comprising: ~~wherein the~~ ~~correction instruction information output from the~~ correction manipulation means for outputting ~~includes~~ return information for selectively instructing whether or not to return the current management information on the recording medium, which has been updated, to the management information before the updating,

the management information holding means keeps holding the current management information from the recording medium, and

the management information control means updates the management information on the recording medium and thereafter updates again the management information to the management information before the updating when the return information is included in the correction instruction information from the correction manipulation means.

Application No.: 10/761,367

6. (Currently amended) The device of ~~claims 1, 2, 3 and~~ claim 4, further comprising playback manipulation means for outputting playback instruction information instructing playback of data starting from a data recording start position when playback operation based on the management information fails after the correction of the current management information from the recording medium held in the management information holding means,

wherein the correction control means performs playback of data starting from the data recording start position on the recording medium in response to the playback instruction information from the playback manipulation means.

7. (Currently amended) The device of ~~any of claims 1, 2, 3 and~~ claim 4, further comprising recording manipulation means for outputting recording instruction information instructing recording of data starting from a data recording start position when recording operation based on the management information fails after the correction of the current management information from the recording medium held in the management information holding means,

wherein the correction control means performs recording of data starting from the data recording start position on the recording medium in response to the recording instruction information from the recording manipulation means.

8. (Original) The device of claim 1, wherein when a header address included in the management information corresponding to the current recording medium is abnormal, the header address is corrected to a header address included in the management information in the initial state.